Systems Hardware
Data Sheet

IBM

IBM 3592 tape cartridge

High-capacity tape media engineered for the enterprise

Highlights

- Protect your data investment
- Increase capacity and flexibility
- Enhance data security
- Deliver superior reliability

Today's enterprise data centers face unprecedented data protection challenges. They must satisfy increasing demands for data retention, security and availability while working with reduced budgets. IBM 3592 tape cartridges are designed to help enterprise data centers address these challenges.

Investment protection

With enterprise tape libraries holding thousands of cartridges, the affordability of keeping the technology current can be significantly impacted by the cost of upgrading the tape media. IBM 3592 tape cartridges support media re-use by enabling the drive to reformat and upgrade prior generation media cartridges. That means existing media cartridges achieve both improved performance and capacity which helps you mitigate the impact of a tape subsystem upgrade.

Increased flexibility

For administrators who require rapid data access or who are looking to lower media costs, IBM offers two different sizes of 3592 tape cartridges. The IBM economy cartridge offers the same quality and benefits as our standard length cartridges, but in a shorter length. This shorter length cartridge is less expensive and enables faster seek times.

Enhanced data security

Data helps your company drive innovation, growth and competitive advantages. Failure to safeguard data can lead to business disruption, lost productivity, negative customer satisfaction and penalties from regulatory violations. The IBM

web: www.media-resources.co.uk
email: sales@media-resources.co.uk
phone: 01889 503 100

Systems Hardware
Data Sheet

IBM

3592 tape cartridge is designed to protect your data with features such as write-once-read-many (WORM) cartridges, encryption and the ability—in conjunction with the tape drive—to monitor cartridge life. These capabilities work together to help ensure that stored data is secure from loss or corruption.

Superior reliability

To meet the rigorous standards of enterprise data centers, the IBM 3592 tape cartridge features a memory chip that stores performance and usage records. These records are used to proactively determine whether the tape needs to be replaced. The cartridge utilizes thick plastics, ultrasonic welding techniques and tamper-proof screws to provide protection against accidental damage. And the media uses a uniform, ultra-smooth magnetic layer with a refined coating to improve media reliability, increase performance and minimize tape head wear.

IBM 3592 Tape Cartridge

Ordering options

IBM 3592 tape cartridges are available in packs of twenty, and cleaning cartridges come in packs of five. Data cartridges can be purchased with or without EBCDIC initialization. Both IBM

web: www.media-resources.co.uk
email: sales@media-resources.co.uk
phone: 01889 503 100

3592 tape cartridges and cleaning cartridges can be purchased with or without labels required for use in an IBM tape library.

web: www.media-resources.co.uk
email: sales@media-resources.co.uk
phone: 01889 503 100

Characteristics

Weight	244 g (8.6 oz)
Estimated archive life	Up to 30 years
Load/unload	20,000 load, unload and initialization cycles
Dimensions	24.5 mm H × 109 mm W × 125 mm D (0.97 in. × 4.3 in. × 4.9 in.)
Toxicity	Nonhazardous to human health in anticipated use
Flammability	Self-extinguishing per UL94
Temperature	16°C - 32°C (60.8°F - 89.6°F)
Dew point	22°C (71.6°F)
Relative humidity	20% - 80%
Warranty	Limited lifetime: Free from manufacturing and material defects useful life of product

Capacity

Format	Cartridge	TS1160	TS1155	TS1150	TS1140	TS1130	TS1120	3592 J1A
3692A1 J1A		-	-	-	-	RO	WR	WR
	JJ/JR	-	-	-	-	128 GB	100 GB	60 GB
	JA/JW	-	-	-	-	640 GB	500 GB	300 GB
3592A2 E05		-	-	-	RO	WR	WR	-
	JB/JX	-	-	-	700 GB	700 GB	700 GB	-
3592A3 E06		-	-	-	WR	WR	-	-
	JB/JX	-	-	-	1 000 GB	1 000 GB	-	-
3592A4 E07		RO	RO	WR	WR	-	-	-
	JB/JX	-	-	-	1 600 GB	-	-	-
	JK	500 GB	500 GB	500 GB	500 GB	-	-	-
	JC/JY	4 000 GB	4 000 GB	4 000 GB	4 000 GB	-	-	-
3592A5 E08		WR	WR	WR	-	-	-	-
	JK	900 GB	900 GB	900 GB	-	-	-	-
	JC/JY	7 000 GB	7 000 GB	7 000 GB	-	-	-	-
	JL	2 000 GB	2 000 GB	2 000 GB	-	-	-	-
	JD/JZ	10 000 GB	10 000 GB	10 000 GB	-	-	-	-
3592B5 55F		WR	WR	-	-	-	-	-
	JL	3 000 GB	3 000 GB	-	-	-	-	-
	JD/JZ	15 000 GB	15 000 GB	-	-	-	-	-

web: www.media-resources.co.uk
email: sales@media-resources.co.uk
phone: 01889 503 100

Format	Cartridge	TS1160	TS1155	TS1150	TS1140	TS1130	TS1120	3592 J1A
3592A6 60F		WR	-	-	-	-	-	-
	JM	5 000 GB	-	-	-	-	-	-
	JE/JV	20 000 GB	-	-	-	-	-	-

Values are in GB (10^9) native capacity (no compression)

Devices with updated firmware may support reformatting media written with unsupported formats.

JJ Economy JR Economy WORM

JA Standard JW Standard WORM

JB Extended JX Extended WORM

JK Advanced Type C Economy JY Advanced Type C WORM

JC Advanced Type C JZ Advanced Type D WORM JL Advanced Type D Economy JV Advanced Type E WORM

JD Advanced Type D - Not Supported

JM Advanced Type E Economy WR Write and Read

JE Advanced Type E RO Read Only

web: www.media-resources.co.uk
email: sales@media-resources.co.uk
phone: 01889 503 100

Why IBM?

With more than 65 years of experience in delivering tape-based storage technology, IBM Storage solutions deliver the scalability, security and reliability that organizations need to manage the massive volumes of data that have become common today.

Innovative technology; excellent performance; and a broad portfolio of proven storage hardware, software and solutions offerings are just a few of the reasons why you should consider storage solutions from IBM, including IBM 3592 Tape Cartridges.

For more information

To learn more about IBM 3592 tape cartridges, please contact your IBM representative or IBM Business Partner, or visit: **ibm.com**/systems/storage/media

web: www.media-resources.co.uk
email: sales@media-resources.co.uk
phone: 01889 503 100

Systems Hardware
Data Sheet

IBM

IBM.

web: www.media-resources.co.uk
email: sales@media-resources.co.uk
phone: 01889 503 100